Asunto: RV: Precios Pararrayos
De: "Ana Luisa Vivanco" <ana.luisa.vivanco@alvyasociados.cl>
Fecha: Tue, 12 Jan 2010 17:34:33 -0300
Para: "'Karla Escobar'" <karla.escobar@alvyasociados.cl>, <veronica.vasquez@alvyasociados.cl>

De: Lizama, Felipe [mailto:felipe.lizama@siemens.com]
Enviado el: martes, 12 de enero de 2010 17:26
Para: Ana Luisa Vivanco
Asunto: Precios Pararrayos

Estimada Ana Luisa,

Adjunto planilla modificada para los pararrayos.

Efectivamente los valores estaban errados.

Saludos

Felipe Lizama
Ingeniero de Ventas
Automatización y Protecciones
Sector Energía - Siemens S.A.
Av. Providencia 1760, piso 10
Santiago-Chile
Tel: +56(2) 4771084
Móvil: +56 9 74319395
Fax: +56(2) 4771341
email: felipe.lizama@siemens.com

Important notice: This e-mail and any attachment thereof contains corporate proprietary information. If you have received it by mistake, please notify us immediately by reply e-mail and delete this e-mail and its attachments from your system. Thank you.

COT PTD VTAS C086.xls	**Content-Type:** application/vnd.ms-excel **Content-Encoding:** base64

 Create PDF files without this message by purchasing novaPDF printer (http://www.novapdf.com)